ANALYTICA CHIMICA ACTA, VOL. 212 (1988)

AUTHOR INDEX

Apte, S.C.
—, Gardner, M. J. and Ravenscroft, J. E.
An evaluation of voltammetric titration procedures for the determination of trace metal complexation in natural waters by use of computer simulation 1

Berg, C.M.G., van den, see van den Berg, C.M.G. 31
Betti, A., see Coppi, S. 165
Blanco González, E., see Menendez Fraga, P. 181
Branica, M., see Mikac, N. 349
Bruins, C.H.P., see Smilde, A.K. 95

Cai, X.
— and Zhao, Z.
Determination of trace thiocyanate by linear sweep polarography 43
Capilla, C.
—, Navarro, J.L., Sendra, J.M. and Izquierdo, L.
Detection of orange juice dilution by canonical correlation analysis 309
Ci, Y.-X.
—, Lan, Z.-H. and Liu, W.
Fluorescence enhancement of dysprosium(III)/Tiron by alkaline earth metal ions and its analytical application 285
Coenegracht, P.M.J., see Smilde, A.K. 95
Coppi, S.
—, Betti, A. and Dondi, F.
Analysis of complex mixtures by capillary gas chromatography with statistical estimation of the number of components 165
Cromer, M., see Lamy, I. 105

Dean, J.R., see Edmonds, T.E. 23
De Pablo, J., see Farran, A. 123
Díaz García, M.E., see Fernández de la Campa, M.R. 235
Dimov, N.
— and Mekenyan, Ov.
An exact quantitative structure/gas-chromatographic retention relationship for alkylbenzenes 317
Dondi, F., see Coppi, S. 165
Dong, S.
— and Wang, Y.
A Nafion/crown ether film electrode and its application in the anodic stripping voltammetric determination of traces of silver 341
Doornbos, D.A., see Smilde, A.K. 95
Dubinskii, R.A., see Geusman, M.S. 303

Edmonds, T.E.
— and Palshis, E.M.
Cyclic voltammetry and chronoamperometry of lead ions at carbon fibre electrodes 331
Edmonds, T.E.
—, Dean, J.R. and Latif, S.
Potentiometric and voltammetric responses of carbon fibre electrodes 23

Farran, A.
—, de Pablo, J. and Hernández, S.
Continuous-flow extraction of organophosphorus pesticides coupled on-line with high-performance liquid chromatography 123
Fernández de la Campa, M.R.
—, Díaz García, M.E. and Sanz-Medel, A.
Room-temperature liquid phosphorimetry of the aluminium–Ferron chelate in micellar media. Determination of aluminium 235
Fujiwara, K.
Application of a wave-guide capillary cell in the determination of copper by flow injection analysis 245

Gao, P.
—, Gosztola, D. and Weaver, M.J.
Coupling real-time surface-enhanced Raman spectroscopy with linear-sweep voltammetry. Application to elucidation of electrochemical mechanisms 201
Gardner, M.J., see Apte, S.C. 1
Geusman, M.S.
— and Dubinskii, R.A.

Gasometric determination of formic and oxalic acids 303
Gosztola, D., see Gao, P. 201
Graglia, R., see Pramauro, E. 171
Grote, M.
— and Kettrup, A.
Reduction of a new water-soluble tetrazolium salt by steroids and ascorbic acid 273
Gustafsson, L.
—and Njenga, L.W.
Determination of total fluorine in vegetables and plants by open-flame ashing and microdiffusion. Comparison with furnace ashing and oxygen-flask combustion 133

Hanazato, Y.
—, Inatomi, K.-I., Nakako, M., Shiono, S. and Maeda, M.
Glucose-sensitive field-effect transistor with a membrane containing co-immobilized gluconolactonase and glucose oxidase 49
Hayashi, Y.
—, Yoshioka, S. and Takeda, Y.
A one-dimensional Kalman filter for peak resolution 81
Hernández, S., see Farran, A. 123
Hu, Q., see Zhou, X. 325

Imasaka, T., see Kawabata, Y. 267
Inatomi, K.-I., see Hanazato, Y. 49
Ishibashi, N., see Kawabata, Y. 267
Ishizuki, T.
—, Wada, H. and Nakagawa, G.
Synthesis of some antipyrinylazo and thiazolylazo compounds with pentan-2,4-dione and their reactions with metal ions 253
Izquierdo, L., see Capilla, C. 309

Joksimović, V., see Vajgand, V. 73

Kawabata, Y.
—, Tahara, R., Imasaka, T. and Ishibashi, N.
Fiber-optic calcium(II) sensor with reversible response 267
Kettrup, A., see Grote, M. 273
Kohoutková, D., see Polášek, M. 279
Kurttio, P.
—, Vartiainen, T. and Savolainen, K.
A high performance liquid chromatographic method for the determination of ethylenethiourea in urine and on filters 297

Lamy, I.
—, Cromer, M. and Scharff, J.P.
Comparative study of copper(II) interactions with monomeric ligands and synthetic or natural organic materials from potentiometric data 105
Lan, Z.-H., see Ci, Y.-X. 285
Latif, S., see Edmonds, T.E. 23
Leaback, D.H., see Leigh, A.G.W. 213
Leigh, A.G.W.
— and Leaback, D.H.
Phosphorimetric determination of some 4-methyl-7-hydroxycoumarin derivatives on thin-layer surfaces 213
Li, H., see van den Berg, C.M.G. 31
Li, J., see Wang, Z. 145
Liu, W., see Ci, Y.-X. 285
Loriguillo, A.
—, Silva, M. and Perez-Bendito, D.
Interpolation method for treatment of mutual kinetic effects 223
Luo, Y., see Zhou, X. 325

Maeda, M., see Hanazato, Y. 49
McKerrell, E.H., see Whiteside, I.R.C. 155
Mekenyan, Ov., see Dimov, N. 317
Menendez Fraga, P.
—, Blanco González, E. and Sanz-Medel, A.
Determination of some anticancer 6-thiopurine compounds by high-performance liquid chromatography with micelles as the mobile phase 181
Mihajlović, Lj., see Vajgand, V. 73
Mihajlović, R., see Vajgand, V. 73
Mikac, N.
— and Branica, M.
Separation of dissolved alkyllead and inorganic lead species by coprecipitation with barium sulphate 349
Minero, C., see Pramauro, E. 171

Nakagawa, G., see Ishizuki, T. 253
Nakako, M., see Hanazato, Y. 49
Narasimhan, S.V., see Visalakshi, G. 335

Navarro, J.L., see Capilla, C. 309
Njenga, L.W., see Gustafsson, L. 133

O'Kennedy, R., see Rodriguez Flores, J. 355

Pablo, J., de, see de Pablo, J. 123
Palshis, E.M., see Edmonds, T.E. 331
Pelizzetti, E., see Pramauro, E. 171
Perez-Bendito, D., see Loriguillo, A. 223
Polášek, M.
—, Kohoutková, D. and Waisser, K.
Kinetic spectrophotometric determination of thiobenzamides and their partition coefficients in water/1-octanol by using an iodine/azide indicator reaction 279
Pramauro, E.
—, Minero, C., Saini, G., Graglia, R. and Pelizzetti, E.
Partition equilibria of phenols between water and anionic micelles. Correlation with the octanol/water system 171

Ravenscroft, J.E., see Apte, S.C. 1
Rodriguez Flores, J.
—, O'Kennedy, R. and Smyth, M.R.
Adsorptive stripping voltammetry of bovine serum albumin 355

Saini, G., see Pramauro, E. 171
Sanz-Medel, A., see Fernández de la Campa, M.R. 235
Sanz-Medel, A., see Menendez Fraga, P. 181
Savolainen, K., see Kurttio, P. 297
Scharff, J.P., see Lamy, I. 105
Sendra, J.M., see Capilla, C. 309
Sharma, A.
— and Wolfbeis, O.S.
Unusually efficient quenching of the fluorescence of an energy transfer-based optical sensor for oxygen 261
Shen, H., see Wang, Z. 145
Shiono, S., see Hanazato, Y. 49
Silva, M., see Loriguillo, A. 223
Smilde, A.K.
—, Bruins, C.H.P., Coenegracht, P.M.J. and Doornbos, D.A.
Characterization of stationary/mobile phase combinations by using markers. Part 1. Preliminary results for the prediction of reversed-phase retention on various stationary phases 95
Smyth, M.R., see Rodriguez Flores, J. 355
Strelow, F.W.E.
Separation of traces of manganese, cobalt, nickel and copper from gram amounts of tellurium by cation-exchange chromatography in hydrochloric acid/acetone media 191

Tahara, R., see Kawabata, Y. 267
Takeda, Y., see Hayashi, Y. 81

Vajgand, V.
—, Mihajlović, R., Mihajlović, Lj. and Jokaimović, V.
Coulometric generation of acetyl ions by oxidation of mercury in acetic anhydride and in acetic acid/acetic anhydride mixture 73
Van den Berg, C.M.G.
— and Li, H.
The determination of nanomolar levels of nitrite in fresh and sea water by cathodic stripping voltammetry 31
Vartiainen, T., see Kurttio, P. 297
Venkateswarlu, K.S., see Visalakshi, G. 335
Visalakshi, G.
—, Narasimhan, S.V. and Venkateswarlu, K.S.
Polarographic determination of iron(II) and iron(III) complexes with EDTA 335

Wada, H., see Ishizuki, T. 253
Waisser, K., see Polášek, M. 279
Wang, Y., see Dong, S. 341
Wang, Z.
—, Li, J. and Shen, H.
Criteria for selecting analytical wavelengths for multicomponent mixtures by the CPA matrix method and simultaneous spectrophotometric determination of niobium and tantalum 145
Weaver, M.J., see Gao, P. 201
Whiteside, I.R.C.
—, Worsfold, P.J. and McKerrell, E.H.
Determination of alkylamines by high-performance liquid chromatography with post-column fluorescence derivatization 155
Wolfbeis, O.S., see Sharma, A. 261
Worsfold, P.J., see Whiteside, I.R.C. 155
Wu, C., see Zhou, X. 325

Yao, S.-Z.
— and Zhou, T.-A.
Dependence of the oscillation frequency of a piezoelectric crystal on the physical parameters of liquids 61
Yoshioka, S., see Hayashi, Y. 81
Youxian, Y.
Simultaneous spectrophotometric determination of calcium and magnesium with chlorphosphonazo-III by flow injection analysis 291

Zhao, Z., see Cai, X. 43
Zhou, T.-A., see Yao, S.-Z. 61
Zhou, X.
—, Luo, Y., Wu, C., Zou, Z. and Hu, Q.
Sodium ion-selective membrane electrode based on a new crown ether 325
Zou, Z., see Zhou, X. 325

ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 212 CONTENTS SEPTEMBER 15, 1988

Electrometric Methods

An evaluation of voltammetric titration procedures for the determination of trace metal complexation in natural waters by use of computer simulation
S.C. Apte, M.J. Gardner and J.E. Ravenscroft (Marlow, Gt. Britain) 1

Potentiometric and voltammetric responses of carbon fibre electrodes
T.E. Edmonds, J.R. Dean and S. Latif (Loughborough, Gt. Britain) 23

The determination of nanomolar levels of nitrite in fresh and sea water by cathodic stripping voltammetry
C.M.G. van den Berg and H. Li (Liverpool, Gt. Britain) 31

Determination of trace thiocyanate by linear sweep polarography
X. Cai and Z. Zhao (Wuhan, China) 43

Glucose-sensitive field-effect transistor with a membrane containing co-immobilized gluconolactonase and glucose oxidase
Y. Hanazato, K.-I. Inatomi, M. Nakako, S. Shiono and M. Maeda (Hyogo, Japan) 49

Dependence of the oscillation frequency of a piezoelectric crystal on the physical parameters of liquids
S.-Z. Yao and T.-A. Zhou (Changsha, China) 61

Coulometric generation of acetyl ions by oxidation of mercury in acetic anhydride and in acetic acid/acetic anhydride mixture
V. Vajgand (Belgrade, Yugoslavia), R. Mihajlović, Lj. Mihajlović and V. Joksimović (Kragujevac, Yugoslavia) 73

Computer Methods and Applications

A one-dimensional Kalman filter for peak resolution
Y. Hayashi, S. Yoshioka and Y. Takeda (Tokyo, Japan) 81

Characterization of stationary/mobile phase combinations by using markers. Part 1. Preliminary results for the prediction of reversed-phase retention on various stationary phases
A.K. Smilde, C.H.P. Bruins, P.M.J. Coenegracht and D.A. Doornbos (Groningen, The Netherlands) 95

General Analytical Chemistry

Comparative study of copper(II) interactions with monomeric ligands and synthetic or natural organic materials from potentiometric data
I. Lamy (Versailles, France), M. Cromer and J.P. Scharff (Villeurbanne, France) 105

Continuous-flow extraction of organophosphorus pesticides coupled on-line with high-performance liquid chromatography
A. Farran, J. de Pablo and S. Hernández (Barcelona, Spain) 123

Determination of total fluorine in vegetables and plants by open-flame ashing and microdiffusion. Comparison with furnace ashing and oxygen-flask combustion
L. Gustafsson and L.W. Njenga (Uppsala, Sweden) 133

(Continued overleaf)

(*Contents continued*)

Criteria for selecting analytical wavelengths for multicomponent mixtures by the CPA matrix method and simultaneous spectrophotometric determination of niobium and tantalum
Z. Wang, J. Li and H. Shen (Tianjin, China) 145

Separations

Determination of alkylamines by high-performance liquid chromatography with post-column fluorescence derivatization
I.R.C. Whiteside, P.J. Worsfold (Hull, Gt. Britain) and E.H. McKerrell (Chester, Gt. Britain) ... 155
Analysis of complex mixtures by capillary gas chromatography with statistical estimation of the number of components
S. Coppi, A. Betti and F. Dondi (Ferrara, Italy) 165
Partition equilibria of phenols between water and anionic micelles. Correlation with the octanol/water system
E. Pramauro, C. Minero, G. Saini, R. Graglia (Turin, Italy) and E. Pelizzetti (Parma, Italy) 171
Determination of some anticancer 6-thiopurine compounds by high-performance liquid chromatography with micelles as the mobile phase
P. Menendez Fraga, E. Blanco González and A. Sanz-Medel (Oviedo, Spain) 181
Separation of traces of manganese, cobalt, nickel and copper from gram amounts of tellurium by cation-exchange chromatography in hydrochloric acid/acetone media
F.W.E. Strelow (Pretoria, South Africa) 191

Spectrometric Methods

Coupling real-time surface-enhanced Raman spectroscopy with linear-sweep voltammetry. Application to elucidation of electrochemical mechanisms
P. Gao, D. Gosztola and M.J. Weaver (West Lafayette, IN, U.S.A.) 201
Phosphorimetric determination of some 4-methyl-7-hydroxycoumarin derivatives on thin-layer surfaces
A.G.W. Leigh and D.H. Leaback (Stanmore, Gt. Britain) 213
Interpolation method for treatment of mutual kinetic effects
A. Loriguillo, M. Silva and D. Perez-Bendito (Córdoba, Spain) 223
Room-temperature liquid phosphorimetry of the aluminium–Ferron chelate in micellar media. Determination of aluminium
M.R. Fernández de la Campa, M.E. Díaz García and A. Sanz-Medel (Oviedo, Spain) 235
Application of a wave-guide capillary cell in the determination of copper by flow injection analysis
K. Fujiwara (Hiroshima, Japan) 245
Synthesis of some antipyrinylazo and thiazolylazo compounds with pentan-2,4-dione and their reactions with metal ions
T. Ishizuki, H. Wada and G. Nakagawa (Nagoya, Japan) 253

Short Communications

Unusually efficient quenching of the fluorescence of an energy transfer-based optical sensor for oxygen
A. Sharma and O.S. Wolfbeis (Graz, Austria) 261
Fiber-optic calcium(II) sensor with reversible response
Y. Kawabata, R. Tahara, T. Imasaka and N. Ishibashi (Fukuoka, Japan) 267
Reduction of a new water-soluble tetrazolium salt by steroids and ascorbic acid
M.Grote and A. Kettrup (Paderborn, F.R.G.) 273
Kinetic spectrophotometric determination of thiobenzamides and their partition coefficients in water/1-octanol by using an iodine/azide indicator reaction
M. Polášek, D. Kohoutková and K. Waisser (Hradec Králové, Czechoslovakia) 279

Fluorescence enhancement of dysprosium(III)/Tiron by alkaline earth metal ions and its analytical application
Y.-X. Ci, Z.-H. Lan and W. Liu (Beijing, China) 285
Simultaneous spectrophotometric determination of calcium and magnesium with chlorphosphonazo-III by flow injection analysis
Y. Youxian (Qingdao, China) 291
A high performance liquid chromatographic method for the determination of ethylenethiourea in urine and on filters
P. Kurttio, T. Vartiainen and K. Savolainen (Kuopio, Finland) 297
Gasometric determination of formic and oxalic acids
M.S. Geusman and R.A. Dubinskii (Moscow, U.S.S.R.) 303
Detection of orange juice dilution by canonical correlation analysis
C. Capilla, J.L. Navarro, J.M. Sendra and L. Izquierdo (Valencia, Spain) 309
An exact quantitative structure/gas-chromatographic retention relationship for alkylbenzenes
N. Dimov (Sofia, Bulgaria) and Ov. Mekenyan (Bourgas, Bulgaria) 317
Sodium ion-selective membrane electrode based on a new crown ether
X. Zhou, Y. Luo, C. Wu, Z. Zou and Q. Hu (Wuhan, China) 325
Cyclic voltammetry and chronoamperometry of lead ions at carbon fibre electrodes
T.E. Edmonds and E.M. Palshis (Loughborough, Gt. Britain) 331
Polarographic determination of iron(II) and iron(III) complexes with EDTA
G. Visalakshi, S.V. Narasimhan and K.S. Venkateswarlu (Bombay, India) 335
A Nafion/crown ether film electrode and its application in the anodic stripping voltammetric determination of traces of silver
S. Dong and Y. Wang (Jilin, China) 341
Separation of dissolved alkyllead and inorganic lead species by coprecipitation with barium sulphate
N. Mikac and M. Branica (Zagreb, Yugoslavia) 349
Adsorptive stripping voltammetry of bovine serum albumin
J. Rodriquez Flores (Badajoz, Spain), R. O'Kennedy and M.R. Smyth (Dublin, Ireland) 355

Book Reviews 359

Corrigendum 369

Author Index 371